

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of )  
 )  
MAKAN CHEN, et al. ) Group Art Unit: Unassigned  
 )  
Application No.: Unassigned ) Examiner: Unassigned  
 )  
Filed: May 31, 2001 )  
 )  
For: HIGH-TEMPERATURE )  
SUPERCONDUCTOR ARRANGEMENT )

**PRELIMINARY AMENDMENT**

Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:

Prior to examination of the above-captioned patent application, it is requested that the following amendments be entered.

**IN THE CLAIMS:**

Please replace Claims 1-8 as follows.

1. (Amended) A high-temperature superconductor arrangement having a superconductor and having an electrical bypass which is in electrical and mechanical contact with the superconductor, with the superconductor being at a superconductor temperature  $T_{SC}$  and the bypass being at a bypass temperature  $T_{BP}$ , wherein the bypass produces a compressive pressure on the superconductor in a current flow direction even when the superconductor temperature  $T_{SC}$  is below the bypass temperature  $T_{BP}$ .

09367426 05304  
FOR ESO 92429850

2. (Amended) The arrangement as claimed in claim 1, with the superconductor having a first thermal coefficient of expansion  $a_{SC}$  and the bypass having a second thermal coefficient of expansion  $a_{BP}$  wherein, at a temperature  $T_0$  which is above the maximum operating temperature of the bypass:

$$a_{BP} \cdot (T_0 - T_{BP}) > a_{SC} \cdot (T_0 - T_{SC})$$

3. (Amended) The arrangement as claimed in claim 2, with  $T_C$  being the critical temperature of the superconductor, wherein, for the maximum bypass temperature  $T_{BP}^{max}$ :

$$\frac{T_{BP}^{max} - T_C}{T_0 - T_C} < \frac{\alpha_{BP} - \alpha_{SC}}{\alpha_{BP}} .$$

4. (Amended) The arrangement as claimed in claim 1, wherein the superconductor is in strip form and has two main surfaces parallel to the current flow direction, and wherein the bypass is in contact with the superconductor via both main surfaces.

5. (Amended) The arrangement as claimed in claim 4, wherein the superconductor has two layers which are separated by an electrical insulator and in which the current flows essentially in the opposite direction.

6. (Amended) The arrangement as claimed in claim 1, wherein the bypass is made of steel and there is a solder layer or an electrically conductive adhesive layer between the superconductor and the bypass.

7. (Amended) A method for producing a high-temperature superconductor arrangement having a superconductor and having an electrical bypass which is in electrical and mechanical contact with the superconductor, with the superconductor being at a superconductor temperature  $T_{SC}$  and having a first thermal coefficient of expansion  $a_{SC}$ , and the bypass being at a bypass temperature  $T_{BP}$  and having a second thermal coefficient of expansion  $a_{BP}$ ,

wherein the bypass produces a compressive pressure on the superconductor in a current flow direction even when the superconductor temperature  $T_{SC}$  is below the bypass temperature  $T_{BP}$ , and wherein the superconductor and the bypass are brought into mechanical contact, without any pressure in the current flow direction, at a production temperature  $T_0$  which is above the maximum operating temperature of the bypass.

8. (Amended) The method as claimed in claim 7, wherein the bypass is made of steel and is brought into contact with the superconductor by means of soldering or bonding.

004501-548

**REMARKS**


By way of the foregoing amendments to the claims, Claims 1-8 have been amended to delete the multiple dependencies and reference numerals. These changes have been made in accordance with 37 C.F.R. § 1.121 as amended on November 7, 2000. Marked-up versions of Claims 1-8 indicating the changes accompany this Preliminary Amendment.

Early and favorable consideration with respect to this application is respectfully requested.

Should any questions arise in connection with this application, the undersigned respectfully requests that he be contacted at the number indicated below.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By:   
Robert S. Swecker  
Registration No. 19,885

P. O. Box 1404  
Alexandria, Virginia 22313-1404  
(703) 836-6620

Date: May 31, 2001

09367426-053101  
TOTAL 9249860